

BELL PORTABLE LED



Taking its name from a classic dome shape, Bell is an exercise in reductionism. The hyper-polished surface allows Bell to take on the tone and characteristics of its surroundings while a concealed diffuser produces its soft lighting. Bell Portable LED offers up to 9 hours of battery life.

Year of Design	2021
Product Weight	3.00 lb
Finishing Process	Gloss Painted, Plated
Power Method	Rechargeable
Number of Ports	1
Battery Operating Time	Approx 6-9 hours
Battery Charging Time	5 hours
Cable Spec	AWM 2464 24AWG VW-1 1A 80°C 300V
Cable Type/Length	USB-A to Magnetic, 78.7in
Light Source	3W LED
Max Wattage	3W
Lightsource Lumens	160
CRI	>90
Colour Temperature	3000K
Dimmability	Touch Dimmable
Voltage	5V
Environment	Indoor & Outdoor, IP44 (Store inside)
Spares	LEDPB02; POBAT01; POMC01
Certification/Electrical Class	Certified for NZ/AUS



BLACK

Code	BEPO01BLUN
Shade Material	ABS plastic
Shade Colour/Finish	Black, Gloss
Base Material	ABS plastic
Base Colour/Finish	Black, Gloss
Service Offer	Quick Ship

SILVER

Code	BEPO01SSUN
Shade Material	ABS plastic
Shade Colour/Finish	Silver, Mirrored
Base Material	ABS plastic
Base Colour/Finish	Silver, Polished
Service Offer	Quick Ship



BELL PORTABLE LED



Taking its name from a classic dome shape, Bell is an exercise in reductionism. The hyper-polished surface allows Bell to take on the tone and characteristics of its surroundings while a concealed diffuser produces its soft lighting. Bell Portable LED offers up to 9 hours of battery life.

Year of Design	2021
Product Weight	3.00 lb
Finishing Process	Plated, PVD
Power Method	Rechargeable
Number of Ports	1
Battery Operating Time	Approx 6-9 hours
Battery Charging Time	5 hours
Cable Spec	AWM 2464 24AWG VW-1 1A 80°C 300V
Cable Type/Length	USB-A to Magnetic, 78.7in
Light Source	3W LED
Max Wattage	3W
Lightsource Lumens	160
CRI	>90
Colour Temperature	3000K
Dimmability	Touch Dimmable
Voltage	5V
Environment	Indoor & Outdoor, IP44 (Store inside)
Spares	LEDPB02; POBAT01; POMC01
Certification/Electrical Class	Certified for NZ/AUS



GOLD

Code	BEPO01GOUN
Shade Material	ABS plastic
Shade Colour/Finish	Gold, Mirrored
Base Material	ABS plastic
Base Colour/Finish	Gold, Polished
Service Offer	Quick Ship

COPPER

Code	BEPO01COUN
Shade Material	ABS plastic
Shade Colour/Finish	Copper, Mirrored
Base Material	ABS plastic
Base Colour/Finish	Copper, Polished
Service Offer	Quick Ship



BELL PORTABLE LED



Taking its name from a classic dome shape, Bell is an exercise in reductionism. We're known for our metallics, so this season we're broadening our palette to include neutral colours, such as taupe, grey and white which work well in any environment. Standing out from the lot and injecting a pop of colour is the new fluoro finish. Bell Portable has a battery life of up to 9 hours.

FLUORO

Code	BEPO01FLUN
Shade Material	ABS plastic
Shade Colour/Finish	Fluoro, Gloss
Base Material	ABS plastic
Base Colour/Finish	Fluoro, Gloss
Service Offer	NEW

TAUPE

Code	BEPO01MUUN
Shade Material	ABS plastic
Shade Colour/Finish	Taupe, Gloss
Base Material	ABS plastic
Base Colour/Finish	Taupe, Gloss
Service Offer	Quick Ship

Year of Design	2021
Product Weight	3.00 lb
Finishing Process	Gloss Painted
Power Method	Rechargeable
Number of Ports	1
Battery Operating Time	Approx 6-9 hours
Battery Charging Time	5 hours
Cable Spec	AWM 2464 22AWG VW-1 1A 80 °C 300V
Cable Type/Length	USB-A to Magnetic, 78.7in
Light Source	3W LED
Max Wattage	3W
Lightsources Lumens	160
CRI	>90
Colour Temperature	3000K
Dimmability	Touch Dimmable
Voltage	5V
Environment	Indoor & Outdoor, IP44 (Store inside)
Spares	LEDPB02; POBAT01; POMC01
Certification/Electrical Class	Certified for NZ/AUS




BELL PORTABLE LED



Taking its name from a classic dome shape, Bell is an exercise in reductionism. We're known for our metallics, so this season we're broadening our palette to include neutral colours, such as taupe, grey and white which work well in any environment. Standing out from the lot and injecting a pop of colour is the new fluoro finish. Bell Portable has a battery life of up to 9 hours.

Year of Design	2021
Product Weight	3.00 lb
Finishing Process	Gloss Painted
Power Method	Rechargeable
Number of Ports	1
Battery Operating Time	Approx 6-9 hours
Battery Charging Time	5 hours
Cable Spec	AWM 2464 22AWG VW-1 1A 80 °C 300V
Cable Type/Length	USB-A to Magnetic, 78.7in
Light Source	3W LED
Max Wattage	3W
Lightsources Lumens	160
CRI	>90
Colour Temperature	3000K
Dimmability	Touch Dimmable
Voltage	5V
Environment	Indoor & Outdoor, IP44 (Store inside)
Spares	LEDPB02; POBAT01; POMC01
Certification/Electrical Class	Certified for NZ/AUS



PUTTY

Code	BEPO01GRUN
Shade Material	ABS plastic
Shade Colour/Finish	Putty, Gloss
Base Material	ABS plastic
Base Colour/Finish	Putty, Gloss
Service Offer	Quick Ship

MOSS

Code	BEPO01MOUN
Shade Material	ABS plastic
Shade Colour/Finish	Moss, Gloss
Base Material	ABS plastic
Base Colour/Finish	Moss, Gloss
Service Offer	Quick Ship

BABY BLUE

Code	BEPO01BEUN
Shade Material	ABS plastic
Shade Colour/Finish	Baby Blue, Gloss
Base Material	ABS plastic
Base Colour/Finish	Baby Blue, Gloss
Service Offer	NEW